

List of components and their reporting limit in mg/kg

2,4,6-Trichlorophenol	0.01	Chlordecone	0.01	Dichloroaniline (3,4-)	0.01
2,4D-Methylester	0.01	Chlorfenapyr	Q 0.01	Dichloroaniline (3,5-)	0.01
2,6-Dichlorobenzamide	0.01	Chlorfenson	0.01	Dichlorophen	0.01
2-Phenylhydroquinone	0.01	Chlorfenvinphos (α+β)	Q 0.01	Dichlorprop-2-ethyl-hexyl	0.01
Acetochlor	0.01	Chlorfluzuron	0.01	Dichlorprop-methyl	0.02
Acibenzolar-S-methyl	0.01	Chlormephos	0.01	Dichlorvos	Q 0.01
Aclonifen	Q 0.01	Chloro-3-Methylphenol	0.01	Diclobutrazol	Q 0.01
Acrinathrin	Q 0.01	Chloroaniline (3-)	0.01	Diclofop-methyl	0.01
Alachlor	0.01	Chlorobenzuron	0.01	Dicloran	Q 0.01
Aldrin	Q 0.01	Chloroneb	0.01	Dicofol	Q 0.01
Allethrin	0.01	Chloropropylate	Q 0.01	Dicrotophos	0.01
Ametoctradin	0.01	Chlorothalonil	0.1	Dieldrin	Q 0.01
Ametryn	0.01	Chlorothion	0.01	Diethofencarb	Q 0.01
Aminocarb	0.01	Chloroxuron	0.02	Difenoconazole	Q 0.01
Amiprofos-Methyl	0.01	Chlorpropham	Q 0.01	Difenoxyuron	0.01
Anthraquinone	0.01	Chlorpyrifos-ethyl	Q 0.01	Diflubenzuron	0.01
Atrazine	0.01	Chlorpyrifos-methyl	Q 0.01	Diflufenican	0.01
Azaconazole	Q 0.01	Chlorthal-dimethyl	Q 0.01	Dimethachlor	0.01
Azinphos-ethyl	Q 0.01	Chlorthiophos-sulfone	0.01	Dimethenamid-P	Q 0.01
Azinphos-methyl	0.01	Chlozolate	Q 0.01	Dimethipin	0.01
Aziprotryne	0.01	Cinidon-ethyl	0.01	Dimethirimol	0.01
Azoxystrobin	Q 0.01	Cinmethylin	0.01	Dimethoate	Q 0.01
Barban	0.01	Climbazole	0.01	Dimethomorph	Q 0.01
Benalaxyl	Q 0.01	Clodinafop-propargyl	0.01	Dimethylvinphos	0.01
Benazolin-ethyl	0.01	Clofentezin	0.03	Dimoxystrobin	Q 0.01
Bendiocarb	0.01	Cloquintocet-mexyl	0.01	Diniconazole	Q 0.01
Benfluralin	Q 0.01	Coumaphos	0.01	Dinobuton	0.1
Benfuracarb (as carbofuran)	0.01	Crimidine	0.01	Dinoseb	0.01
Benodanil	0.01	Crufomate	0.01	Dinoterb	0.01
Benzovindiflupyr	Q 0.01	Cyanazine	0.01	Dioxabenzofos	0.01
Benzoylprop-ethyl	0.01	Cyanofenphos	0.01	Dioxacarb	0.01
Bifenazate	Q 0.01	Cyanophos	0.01	Dioxathion	0.01
Bifenox	0.01	Cycloate	0.01	Diphenamid	Q 0.01
Bifenthrin	Q 0.01	Cyenoxyrafen	0.01	Diphenylamine	Q 0.01
Biphenyl (=diphenyl)	Q 0.01	Cyfluthrin	Q 0.01	Dipropetryn	0.01
Bitertanol	Q 0.01	Cyhalofop-butyl	Q 0.01	Disulfoton	Q 0.01
Boscalid	Q 0.01	Cymiazole	0.01	Disulfoton-sulfone	0.01
Bromocyclen	0.01	Cypermethrin	Q 0.01	Ditalimfos	Q 0.01
Bromophos-ethyl	Q 0.01	Cyphenothrin	0.01	DMSA	0.01
Bromophos-methyl	Q 0.01	Cyproconazole	Q 0.01	DMST	0.01
Bromopropylate	Q 0.01	Cyprodinil	Q 0.01	DNOC	0.01
Bromoxynil-methyl	0.01	Cyprofuram	0.01	Dodemorph	Q 0.01
Bromoxynil-octanoate	0.01	Dazomet	0.01	Edifenphos	0.01
Bromuconazole	Q 0.01	DDD (o,p)	Q 0.01	Endosulfan-alpha	Q 0.01
Bupirimate	0.02	DDD (p,p)	Q 0.01	Endosulfan-beta	Q 0.01
Buprofezin	Q 0.01	DDE (o,p)	Q 0.01	Endosulfan-sulfate	Q 0.01
Butachlor	0.01	DDE (p,p)	Q 0.01	Endrin	Q 0.01
Butralin	Q 0.01	DDT (o,p)	Q 0.01	EPN	Q 0.01
Butylate	0.01	DDT (p,p)	0.01	Epoxiconazole	Q 0.01
Cadusafos	Q 0.01	DEET	Q 0.01	EPTC	0.01
Captan (as THPI)	0.03	Deltamethrin	Q 0.01	Etaconazole	0.01
Carbaryl	Q 0.01	Demeton-O	0.01	Ethalfuralin	0.01
Carbofuran	Q 0.01	Demeton-S	0.01	Ethiofencarb	0.01
Carbofuran-3-OH	Q 0.02	Demeton-S-methyl	0.01	Ethion	Q 0.01
Carbofuran-phenol	0.02	Demeton-S-methylsulfone	0.01	Ethofumesate	Q 0.01
Carbophenothion	Q 0.01	Desmetyrn	Q 0.01	Ethofumesate, 2-Keto	0.01
Chinomethionate	0.01	Dialifos	0.01	Ethoprophos	Q 0.01
Chlorbenside	0.01	Diallate	0.01	Ethoxyquin	0.02
Chlorbenzilate	Q 0.01	Diazinon	0.01	Etofenprox	Q 0.01
Chlorbromuron	0.01	Dichlobenil	Q 0.01	Etoxazole	0.02
Chlorbufam	0.01	Dichlofenthion	Q 0.01	Etridiazole	Q 0.01
Chlordane	Q 0.01	Dichlofluanid	0.01	Etrimfos	Q 0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

List of components and their reporting limit in mg/kg

Famophos (Famphur)		0.01	Haloxyfop-p-methyl	Q	0.01	Monocrotophos		0.01
Famoxadone	Q	0.02	HCH-alpha		0.01	Monolinuron		0.01
Fenamiphos		0.01	HCH-beta		0.01	Myclobutanil	Q	0.01
Fenarimol	Q	0.01	HCH-delta		0.01	Naftol-1-α		0.01
Fenazaquin		0.01	HCH-gamma (Lindane)	Q	0.01	Naled		0.01
Fenbuconazole	Q	0.01	Heptachlor	Q	0.01	Napropamide		0.01
Fenchlorphos		0.01	Heptachlor epoxide	Q	0.01	Nitralin		0.01
Fenhexamid		0.05	Heptenophos	Q	0.01	Nitrapyrine		0.01
Fenitrothion	Q	0.01	Hexachloro-1,3-butadiene		0.01	Nitrofen	Q	0.01
Fenobucarb		0.01	Hexachlorobenzene	Q	0.01	Nitrothal-isopropyl	Q	0.01
Fenoxaprop-P		0.01	Hexaconazole	Q	0.01	Norflurazon		0.01
Fenoxycarb	Q	0.01	Hexaflumuron		0.01	Nuarimol	Q	0.01
Fenpiclonil	Q	0.01	Hexazinone		0.01	Ofurace		0.01
Fenpropathrin	Q	0.01	Hexythiazox		0.01	Orbencarb		0.01
Fenpropidin		0.01	Imazamethabenz-methyl		0.01	Oryzalin		0.1
Fenpropimorph	Q	0.01	Indoxacarb (R+S)	Q	0.01	Oxadiargyl		0.02
Fenson		0.01	Iodofenphos		0.01	Oxadiazon	Q	0.01
Fensulfothion		0.01	Ioxynil-methyl		0.01	Oxadixyl	Q	0.01
Fensulfothion-sulfone		0.01	Ioxynil-octanoate		0.01	Oxycarboxin		0.01
Fenthion	Q	0.01	Iprobenfos	Q	0.01	Oxychlorthane		0.01
Fenthion-sulfoxide	Q	0.01	Iprodione	Q	0.01	Oxyfluorfen	Q	0.01
Fenuron		0.01	Iprovalicarb	Q	0.01	Paclbutrazol	Q	0.01
Fenvalerate (incl. esfenvalerate)	Q	0.01	Isazofos		0.01	Paraoxon		0.01
Fipronil	Q	0.01	Isodrin		0.01	Paraoxon-methyl		0.01
Fipronil-desulfinyl*		0.01	Isofenphos		0.01	Parathion-ethyl	Q	0.01
Fipronil-sulfide*	Q	0.01	Isofenphos-methyl	Q	0.01	Parathion-methyl	Q	0.01
Fipronil-sulfone	Q	0.01	Isofenphos-oxon		0.01	Pebulate		0.01
Flamprop-M-isopropyl		0.01	Isoprocab		0.01	Penconazole	Q	0.01
Flamprop-M-methyl		0.01	Isoprothiolane		0.01	Pencycuron		0.01
Flonicamid	Q	0.01	Isoproturon		0.01	Pendimethalin	Q	0.01
Fluazifop-p-butyl		0.01	Isoxadifen-ethyl		0.01	Pentachloraniline	Q	0.01
Fluazinam		0.04	Kresoxim-methyl	Q	0.01	Pentachloranisole	Q	0.01
Flubendiamide	Q	0.01	Lambda-cyhalothrin	Q	0.01	Pentachlorobenzene		0.01
Fluchloralin		0.01	Lenacil		0.01	Pentachlorophenol		0.01
Flucycloxuron		0.01	Leptophos		0.01	Penthiopyrad		0.01
Flucythrinate	Q	0.01	Lufenuron	Q	0.01	Permethrin	Q	0.01
Fludioxonil	Q	0.01	Malaaxon		0.01	Perthane		0.01
Flufenacet	Q	0.01	Malathion	Q	0.01	Phenmedipham		0.01
Flufenoxuron		0.01	Mecarbam	Q	0.01	Phenothrin	Q	0.01
Flufenzin		0.01	Mefenpyr-diethyl		0.01	Phenthoate	Q	0.01
Flumethrin		0.01	Mepanipyrim	Q	0.01	Phenylphenol-2		0.01
Flumioxazine	Q	0.01	Mephosfolan		0.01	Phorate		0.01
Fluometuron		0.01	Mepronil	Q	0.01	Phorate-sulfone		0.01
Fluopicolide	Q	0.01	Metalaxyl/metalaxyl-M	Q	0.01	Phorate-sulfoxide	Q	0.02
Fluotrimazole		0.01	Metamitron		0.1	Phosalone	Q	0.01
Fluquinconazole	Q	0.01	Metazachlor	Q	0.01	Phosmet	Q	0.01
Flurenol-butyl		0.01	Metconazole	Q	0.01	Phosphamidon		0.01
Flurochloridone		0.01	Methabenzthiazuron		0.01	Picolinafen	Q	0.01
Fluroxypyr-1-meptyl		0.01	Methacrifos		0.01	Picoxystrobin	Q	0.01
Flusilazole	Q	0.01	Methidathion	Q	0.01	Piperonyl butoxide	Q	0.01
Flutolanil	Q	0.01	Methiocarb	Q	0.01	Pirimicarb	Q	0.01
Flutriafol	Q	0.01	Metholachlor-S	Q	0.01	Pirimicarb-desmethyl*	Q	0.01
Fluvalinate (tau-)	Q	0.01	Methoprene		0.01	Pirimiphos-ethyl	Q	0.01
Folpet (as phthalimide)		0.05	Methoprotryn		0.01	Pirimiphos-methyl	Q	0.01
Fonofos	Q	0.01	Methoxychlor	Q	0.01	Prochloraz	Q	0.1
Fosthiazate		0.01	Metobromuron	Q	0.01	Procymidone	Q	0.01
Fuberidazole		0.01	Metolcarb		0.01	Profenofos	Q	0.01
Furalaxyl	Q	0.01	Metrafenone	Q	0.01	Profluralin	Q	0.01
Furathiocarb	Q	0.01	Metribuzin	Q	0.02	Profoxydim-lithium		0.01
Furmecyclox		0.01	Mevinphos	Q	0.01	Promecarb		0.01
Halfenprox		0.01	Mirex	Q	0.01	Prometryn		0.01
Haloxyfop-ethoxyethyl	Q	0.01	Monalide		0.01	Propachlor		0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control

Analysis list Crop, SPV A088, A104 & A178, GC-MSMS

Version 9, valid since 03-06-2024

List of components and their reporting limit in mg/kg

Propachlor-2-OH	0.01	Quizalofop-ethyl	0.01	Tetramethrin	0.01
Propanil	0.01	Resmethrin	0.01	Tetrasul	0.01
Propaphos	0.01	S 421	0.01	Thiobencarb	0.01
Propargite	Q 0.01	Sethoxydim	0.01	Thiocyclam	0.01
Propazine	0.01	Silaflofen	0.01	Thiometon	0.01
Propetamphos	0.01	Silthiofam	0.01	Thiometon-sulfone	0.01
Propham	0.04	Simazine	Q 0.01	Tolclofos-methyl	Q 0.01
Propiconazole	Q 0.01	Spirodiclofen	0.01	Tolfenpyrad	0.01
Propoxur	Q 0.01	Spiromesifen	0.01	Tolyfluanid	Q 0.01
Propyzamide	Q 0.01	Spiroxamine	Q 0.01	Tralkoxydim	0.01
Proquinazid	Q 0.01	Sulfotep	Q 0.01	Transfluthrin	0.01
Prosulfocarb	0.02	Sulphur*	0.5	Triadimefon	Q 0.01
Prothiofos	Q 0.01	Sulprofos	0.01	Triadimenol	Q 0.01
Prothoate	0.01	Tebuconazole	Q 0.01	Triallat	0.01
Pyracarbolid	0.01	Tebufenpyrad	Q 0.01	Triamiphos	0.01
Pyraclofos	0.01	Tebupirimfos	0.01	Triazamate	0.01
Pyraflufen-ethyl	Q 0.01	Tebuthiuron	0.01	Triazophos	Q 0.01
Pyrazophos	Q 0.01	Tecnazene	Q 0.01	Trichloronate	0.01
Pyrethrins (cinerin/jasmolin/pyrethrin)	0.1	Teflubenzuron	Q 0.01	Tricyclazole	0.01
Pyribenzoxim	0.01	Tefluthrin	Q 0.01	Trietazine	0.01
Pyridaben	Q 0.01	Tepraloxymid	0.01	Trifenmorph	0.01
Pyridalyl	Q 0.01	Terbacil	0.01	Trifloxystrobin	Q 0.01
Pyridaphenthion	Q 0.01	Terbufos	Q 0.01	Triflumizole	0.01
Pyrifenox	Q 0.02	Terbufos-sulfon	Q 0.01	Trifluralin	Q 0.01
Pyrimethanil	Q 0.01	Terbumeton	0.01	Trinexapac-ethyl	0.01
Pyriproxyfen	0.01	Terbutylazine	0.01	Vernolate	0.01
Pyroquilon	0.01	Terbutryn	0.01	Vinclozolin	Q 0.01
Quinalphos	Q 0.01	Tetrachlorvinphos	Q 0.01	Zoxamide	Q 0.01
Quinoxifen	Q 0.01	Tetraconazole	Q 0.01		
Quintozene	Q 0.01	Tetradifon	Q 0.03		

List of components and their reporting limit in mg/kg

1-Naphthalene Acetamide	0.01	Carbofuran	Q	0.01	Dimoxystrobin	Q	0.01
1-naphthylacetic acid	0.5	Carbofuran-3-OH		0.01	Diniconazole	Q	0.01
2,4,5-T	0.01	Carbosulfan		0.01	Dinotefuran		0.01
2,4-D	0.01	Carboxin	Q	0.01	Dipropetryn		0.01
2,4-DB	0.05	Carfentrazone-ethyl		0.01	Disulfoton		0.1
4-Chlorophenoxyacetic acid	0.01	Carpropamid	Q	0.01	Disulfoton-sulfone		0.01
Abamectin/avermectin (B1a+B1b)	Q 0.01	Chlorantraniliprole		0.01	Disulfoton-sulfoxide		0.01
Acephate	0.01	Chlorbromuron	Q	0.01	Dithianon		0.01
Acequinocyl	0.01	Chlordimeform		0.01	Diuron	Q	0.01
Acetamiprid	Q 0.01	Chlorfenvinphos (α+β)	Q	0.01	DMSA		0.01
Acibenzolar acid	0.1	Chlorfluzuron		0.01	DMST		0.01
Acibenzolar-S-methyl	0.01	Chloridazon		0.01	Dodemorph	Q	0.01
Alachlor	0.05	Chlorobenzuron		0.01	Dodine	Q	0.01
Alanycarb	0.01	Chlorotoluron		0.01	Emamectin		0.01
Aldicarb	0.01	Chlorpyrifos-ethyl	Q	0.01	EPN		0.02
Aldicarb-sulfone	0.01	Chlorpyrifos-methyl		0.01	Epoxiconazole	Q	0.02
Aldicarb-sulfoxide	0.01	Chlorthiamid		0.01	Etaconazole		0.05
Ametoctradin	0.01	Chlorthiophos		0.01	Ethiofencarb		0.01
Amisulbrom	0.01	Chromafenozide		0.01	Ethiofencarb-sulfone		0.01
Amitraz	0.01	Cinosulfuron		0.01	Ethiofencarb-sulfoxide		0.01
Amitraz DMF (2,4-Dimethyl-formamide)	0.01	Clethodim		0.01	Ethion	Q	0.01
Amitraz DMPF (2,4-Dimethylphenyl-1-methyl-formamide)	0.01	Clethodim-sulfone		0.01	Ethiprole		0.01
Amitraz-DMA (2,4-Dimethylaniline)	0.01	Clethodim-sulfoxide		0.01	Ethirimol		0.01
Anilazine	0.05	Climbazole		0.1	Ethofumesate	Q	0.01
Anilofos	0.01	Clodinafop		0.01	Ethoprophos	Q	0.01
Asulam	0.05	Clofentezin	Q	0.01	Ethoxysulfuron		0.01
Atrazine	Q 0.01	Clomazone		0.01	Etofenprox	Q	0.01
Atrazine-desethyl	0.01	Clothianidin		0.01	Etoxazole		0.01
Azaconazole	Q 0.01	Cyantraniliprole		0.01	Famoxadone	Q	0.05
Azadirachtin	0.01	Cyazofamid		0.01	Fenamidone		0.01
Azamethiphos	0.01	Cyclanilide		0.01	Fenamiphos	Q	0.01
Azimsulfuron	0.01	Cycloxydim		0.01	Fenamiphos-sulfone		0.01
Azinphos-methyl	Q 0.01	Cyenopyrafen		0.01	Fenamiphos-sulfoxide		0.01
Azoxystrobin	Q 0.01	Cyflufenamid		0.01	Fenarimol		0.01
Benfuracarb (as carbofuran)	0.01	Cyflumetofen		0.01	Fenazaquin	Q	0.01
Benomyl (as carbendazim)	0.01	Cyhexatin/Azocyclotin		0.05	Fenbuconazole	Q	0.01
Benoxacor	0.01	Cymoxanil		0.01	Fenbutatinoxide		0.01
Bensulfuron-methyl	0.01	Cyproconazole	Q	0.01	Fenchlorphos oxon		0.01
Bentazon	0.01	Cyprodinil	Q	0.01	Fenhexamid	Q	0.01
Bentazon-8-OH	0.01	Cyromazine		0.01	Fenitrothion	Q	0.03
Benthiavalicarb-isopropyl	0.01	Cythioate		0.01	Fenoprop		0.01
Bifenazate diazene	0.01	Demeton-S-methyl	Q	0.05	Fenoxycarb	Q	0.01
Bispyribac	0.01	Demeton-S-methylsulfone		0.01	Fenpicoxamide		0.01
Bistrifluron	0.01	Desmedipham		0.01	Fenpropidin		0.01
Bitertanol	Q 0.01	Diafenthiuron		0.01	Fenpropimorph	Q	0.01
Bixafen	Q 0.01	Diazinon	Q	0.01	Fenpyrazamine		0.01
Boscalid	Q 0.01	Dicamba		0.02	Fenpyroximate		0.01
Bromacil	Q 0.01	Dichlofluanid		0.01	Fensulfothion		0.01
Bromoxynil	0.01	Dichlorophen		0.01	Fensulfothion-oxon		0.01
Bromuconazole	Q 0.01	Dichlorprop		0.02	Fensulfothion-oxon-sulfone		0.01
Bupirimate	Q 0.01	Dichlorvos	Q	0.01	Fensulfothion-sulfone		0.01
Buprofezin	Q 0.01	Diclobutrazol	Q	0.01	Fenthion	Q	0.01
Butafenacil	0.01	Diclofop		0.05	Fenthion-oxon		0.01
Butocarboxim	0.05	Dicrotophos		0.01	Fenthion-oxon sulfoxide		0.01
Butocarboxim-sulfone	0.01	Diethofencarb	Q	0.01	Fenthion-oxon-sulfone		0.01
Butocarboxim-sulfoxide	0.01	Difenoconazole	Q	0.01	Fenthion-sulfone		0.01
Buturon	0.01	Difethialone		0.01	Fenthion-sulfoxide	Q	0.01
Cadusafos	Q 0.01	Diflubenzuron	Q	0.01	Fentin		0.05
Captafol	0.1	Dimethenamid-P		0.01	Flamprop-M-methyl		0.01
Carbaryl	Q 0.01	Dimethirimol		0.01	Flazasulfuron		0.01
Carbendazim	Q 0.01	Dimethoate	Q	0.01	Flonicamid	Q	0.01
Carbetamide	Q 0.01	Dimethomorph	Q	0.01	Flonicamid-TFNA		0.05

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

List of components and their reporting limit in mg/kg

Flonicamid-TFNG	0.05	Linuron	0.01	Penoxsulam	0.01
Florasulam	0.01	Lufenuron	0.01	Phenisopham	0.01
Fluazifop	0.01	Malaoxon	Q 0.01	Phenkapton	0.05
Fluazifop-p-butyl	0.01	Malathion	Q 0.01	Phenmedipham	Q 0.01
Fluazinam	0.01	Mandipropamid	Q 0.01	Phenothrin	Q 0.01
Flubendiamide	Q 0.01	Matrin	0.05	Phorate	0.01
Flubenzimine	0.01	MCPA	0.01	Phorate-sulfone	Q 0.03
Flufenacet	Q 0.01	MCPB	0.05	Phorate-sulfoxide	Q 0.01
Flufenacet alcohol	0.01	Mecoprop	0.01	Phosalone	Q 0.01
Flufenoxuron	Q 0.01	Mefenacet	0.01	Phosmet	0.01
Flumethrin	0.1	Mefentrifluconazole	0.01	Phosmet oxon	0.01
Flumioxazine	Q 0.01	Mepanipyrim	Q 0.01	Phosphamidon	0.01
Fluometuron	0.01	Mepanipyrim 2-OH-propyl*	0.01	Picoxystrobin	Q 0.01
Fluopyram	0.01	Mephosfolan	0.01	Pinoxaden	0.01
Fluoxastrobin	0.01	Mepronil	Q 0.01	Piperalin	0.01
Flupyradifurone	0.01	Meptyldinocap	0.1	Piperonyl butoxide	Q 0.01
Fluquinconazole	Q 0.01	Mesosulfuron methyl	0.01	Pirimicarb	Q 0.01
Flurprimidol	0.05	Mesotrione	0.01	Pirimicarb-desmethyl*	Q 0.01
Flusilazole	Q 0.01	Metaflumizone	0.01	Pirimiphos-methyl	Q 0.01
Fluthiacet-methyl	0.05	Metaxyl/metaxyl-M	Q 0.01	Prochloraz	Q 0.01
Flutianil	0.01	Metamifop	0.01	Prochloraz BTS44595	0.01
Flutolanil	Q 0.01	Metazachlor	Q 0.01	Prochloraz BTS44596	0.01
Flutriafol	Q 0.01	Metconazole	Q 0.01	Profenofos	Q 0.01
Fluxapyroxad	0.01	Methamidophos	0.01	Propachlor ESA	0.1
Forchlorfenuron	0.01	Methidathion	0.01	Propamocarb	0.01
Formetanate (incl. hydrochloride)	0.05	Methiocarb	Q 0.01	Propaquizafop	0.01
Formothion	0.01	Methiocarb-sulfone	0.01	Propargite	Q 0.01
Fosthiazate	Q 0.01	Methiocarb-sulfoxide	0.01	Propiconazole	Q 0.01
Foxim	0.01	Methomyl	0.01	Propoxur	Q 0.01
Furathiocarb	0.01	Methoxyfenozide	Q 0.01	Propoxycarbazone	0.01
Halofenozide	0.01	Metobromuron	Q 0.01	Propyzamide	Q 0.01
Halosulfuron-methyl	0.01	Metoxuron	0.01	Proquinazid	Q 0.01
Haloxifop	Q 0.01	Metsulfuron-methyl	0.01	Prosulfocarb	0.01
Heptenophos	Q 0.01	Milbemectin (A3+A4)	0.05	Prosulfuron	0.01
Hexaconazole	Q 0.01	Molinate	0.01	Prothiocarb	0.01
Hexythiazox	Q 0.01	Monocrotophos	Q 0.01	Prothioconazole-desthio	Q 0.01
Hymexazol	0.1	Monolinuron	Q 0.01	Pymetrozine	0.01
Imazalil	Q 0.01	Monuron	0.01	Pyraclostrobin	Q 0.01
Imazamox	0.01	Myclobutanil	Q 0.01	Pyridaben	Q 0.01
Imazapic	0.01	Napropamide	Q 0.01	Pyridaphenthion	Q 0.01
Imazapyr	0.01	Naptalam	0.01	Pyridate	0.01
Imazaquin	0.01	Neburon	0.01	Pyridate CL 9673	0.01
Imazethapyr	0.01	Nicosulfuron	0.01	Pyrifenox	Q 0.07
Imibenconazole	0.01	Nitenpyram	0.01	Pyrimethanil	Q 0.01
Imidacloprid	Q 0.01	Novaluron	0.01	Pyrimidifen	0.01
Indaziflam	0.01	Nuarimol	Q 0.01	Pyriofenone	0.01
Indoxacarb (R+S)	Q 0.01	Omethoate	0.01	Pyriproxyfen	Q 0.01
Iodosulfuron-methyl	0.01	Orthosulfamuron	0.01	Pyroxsulam	0.01
Ioxynil	0.01	Oryzalin	0.1	Quinalphos	Q 0.01
Iprobenfos	Q 0.01	Oxadixyl	Q 0.01	Quinclorac	0.01
Iprovalicarb	Q 0.01	Oxamyl	Q 0.01	Quinmerac	0.01
Isocarboxiphos	0.05	Oxamyl-oxime*	0.01	Quinoclamine	0.01
Isoprothiolane	Q 0.01	Oxasulfuron	0.01	Rimsulfuron	0.01
Isoproturon	Q 0.01	Oxathiapiiprolin	0.01	Rotenone	0.01
Isopyrazam	0.01	Oxycarboxin	Q 0.01	Saflufenacil	0.02
Isouron	0.01	Oxydemeton-methyl	0.01	Sedaxane	0.01
Isoxaben	0.01	Pacllobutrazol	Q 0.01	Spinetoram (J+L)	0.01
Isoxaflutole	0.01	Paraoxon	0.01	Spinosad	Q 0.01
Isoxathion	0.01	Paraoxon-methyl	0.01	Spirodiclofen	Q 0.01
Kresoxim-methyl	Q 0.01	Penconazole	Q 0.01	Spiromesifen	Q 0.01
Landrin (2,3,5- and 3,4,5)	0.01	Pencycuron	Q 0.01	Spirotetramat	0.01
Lenacil	0.01	Penflufen	0.01	Spirotetramat-enol	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control

Analysis list Crop, SPV A090, A104 & A178, LC-MSMS

Version 9, valid since 03-06-2024

List of components and their reporting limit in mg/kg

Spirotetramat-enol-glucoside*	0.01	Thiabendazole-5-OH*	0.01	Triazoxide	0.01
Spirotetramat-ketohydroxy*	0.01	Thiacloprid	Q 0.01	Tribenuron-methyl	0.01
Spirotetramat-monohydroxy*	0.01	Thiamethoxam	Q 0.01	Trichlorfon	0.01
Spiroxamine	Q 0.01	Thidiazuron	0.01	Triclopyr	0.05
Sulcotrione	0.01	Thiencarbazone-methyl	0.01	Tricyclazole	0.01
Sulfamethoxazole	0.01	Thiodicarb	0.05	Tridemorph	0.01
Sulfentrazone	0.01	Thiofanox	0.01	Trifloxystrobin	Q 0.01
Sulfosulfuron	0.01	Thiofanox-sulfone	0.01	Triflumizole	Q 0.01
Sulfoxaflor (RR+SR)	0.01	Thiofanox-sulfoxide	0.01	Triflumizole FM-6-1	0.01
Tebuconazole	Q 0.01	Thiometon-sulfone	0.01	Triflururon	Q 0.01
Tebufenozide	Q 0.01	Thiophanate-methyl	0.01	Triflurosulfuron-methyl	0.01
Tebufenpyrad	Q 0.01	Tolclofos-methyl	Q 0.01	Triforine	0.05
Teflubenzuron	Q 0.01	Tolfenpyrad	0.01	Trinexapac	0.01
Tembotrione	0.01	Tolyfluanid	0.01	Trinexapac-ethyl	0.01
TEPP	0.01	Topramezone	0.01	Triticonazole	0.01
Terbufos	Q 0.05	Tralkoxydim	0.01	Tritosulfuron	0.01
Terbufos-sulfon	Q 0.01	Triadimefon	Q 0.01	Uniconazole	0.01
Terbufos-sulfoxide	Q 0.01	Triapenthenol	0.01	Valifenalate	0.01
Terbutylazine	0.01	Triasulfuron	0.01	Vamidothion	Q 0.01
Tetraconazole	Q 0.01	Triazamate	0.01	Warfarin	0.01
Thiabendazole	Q 0.01	Triazophos	Q 0.01	Zoxamide	Q 0.01

List of components and their reporting limit in mg/kg

2,4,5-T	0.005	Diflufenican	0.01	Metosulam	0.01
2,4-D	0.005	Dimefuron	0.01	Metoxuron	0.01
2,4-DB	0.005	Dimethachlor	0.01	Metribuzin	0.01
Aclonifen	0.01	Dimethenamid-P	0.01	Metsulfuron-methyl	0.01
Alachlor	0.01	Dinoseb	0.01	Molinate	0.01
Alloxydim	0.005	Dinoterb	0.01	Monalide	0.01
Ametryn	0.01	Diphenamid	0.01	Monolinuron	0.01
Amidosulfuron	0.01	Dipropetryn	0.01	Monuron	0.01
Aminopyralid	0.01	Dithianon	0.01	Naphthylacetic acid, 1-	0.01
Anilofos	0.01	Diuron	0.01	Napropamide	0.01
Asulam	0.01	DNOC	0.01	Neburon	0.01
Atrazine	0.01	EPTC	0.01	Nitralin	0.01
Atrazine-desethyl	0.01	Ethidimuron	0.01	Nitrofen	0.01
Atrazine-desisopropyl	0.01	Ethofumesate	0.01	Norflurazon	0.01
Aziprotryne	0.01	Fenoprop	0.005	Orbencarb	0.01
Barban	0.01	Fenoxaprop-P	0.01	Oxadiargyl	0.01
Benflubutamid	0.01	Fenuron	0.01	Oxadiazon	0.01
Benfluralin	0.01	Flamprop-M-isopropyl	0.01	Oxyfluorfen	0.01
Bentazon	0.005	Flamprop-M-methyl	0.01	Paclobutrazol	0.01
Bentazon-8-OH	0.01	Florasulam	0.01	Pebulate	0.01
Benzoylprop-ethyl	0.01	Fluazifop	0.005	Pendimethalin	0.01
Bifenox	0.01	Fluazifop-p-butyl	0.01	Pentachloranisole	0.01
Bromacil	0.01	Fluazinam	0.005	Pentachlorophenol	0.01
Bromoxynil	0.005	Fluchloralin	0.01	Phenmedipham	0.01
Bromoxynil-methyl	0.01	Flufenacet	0.01	Picloram	0.01
Bromoxynil-octanoate	0.01	Flufenacet alcohol	0.01	Picolinafen	0.01
Butafenacil	0.01	Flumioxazine	0.01	Profluralin	0.01
Butralin	0.01	Fluometuron	0.01	Profoxydim-lithium	0.01
Buturon	0.01	Flurenol-butyl	0.01	Prometryn	0.01
Butylate	0.01	Fluridon	0.01	Propachlor	0.01
Carbetamide	0.01	Flurochloridone	0.01	Propanil	0.01
Carfentrazone-ethyl	0.01	Fluroxypyr	0.005	Propaquizafop	0.01
Chlorbromuron	0.01	Fluroxypyr-1-meptyl	0.01	Propazine	0.01
Chlorbufam	0.01	Flurprimidol	0.01	Propham	0.01
Chloridazon	0.01	Flurtamone	0.01	Propiconazole	0.01
Chlorotoluron	0.01	Fluthiacet-methyl	0.01	Propoxycarbazone	0.01
Chloroxuron	0.02	Forchlorfenuron	0.01	Propyzamide	0.01
Chlorpropham	0.01	Haloxypop	0.005	Prosulfocarb	0.01
Chlorthal-dimethyl	0.01	Hexazinone	0.01	Prosulfuron	0.01
Chlorthiamid	0.01	Imazamethabenz-methyl	0.01	Pyraflufen-ethyl	0.01
Cinmethylin	0.01	Imazaquin	0.01	Pyridate	0.01
Clethodim	0.01	Imazethapyr	0.01	Pyridate CL 9673	0.01
Clodinafop	0.01	Iodosulfuron-methyl	0.01	Quinmerac	0.01
Clodinafop-propargyl	0.01	Ioxynil	0.005	Quizalofop-ethyl	0.01
Clomazone	0.01	Isoproturon	0.01	Rimsulfuron	0.01
Clopyralid	0.01	Isoxaben	0.01	Sebuthylazine	0.01
Cloquintocet-mexyl	0.01	Isoxadifen-ethyl	0.02	Sethoxydim	0.01
Cyanazine	0.01	Isoxaflutole	0.01	Simazine	0.01
Cyclanilide	0.01	Lenacil	0.01	Sulcotrione	0.01
Cycloate	0.01	Linuron	0.01	Tebutam	0.01
Cycloxydim	0.01	MCPA	0.005	Tebuthiuron	0.01
Cyhalofop-butyl	0.01	MCPB	0.005	Tepaloxymid	0.01
Daminozide	0.01	Mecoprop	0.005	Terbacil	0.01
Desmedipham	0.01	Mefenacet	0.01	Terbumeton	0.01
Desmetryn	0.01	Mefenpyr-diethyl	0.01	Terbuthylazine	0.01
Diallate	0.01	Mesotrione	0.01	Terbuthylazine-desethyl	0.01
Dicamba	0.01	Metamitron	0.01	Terbutryn	0.01
Dichlobenil	0.01	Metazachlor	0.01	Thiobencarb	0.01
Dichlorprop	0.005	Methabenzthiazuron	0.01	Topramezone	0.01
Diclofop	0.01	Metholachlor-S	0.01	Tralkoxydim	0.01
Diclofop-methyl	0.01	Methoprotryn	0.01	Triallat	0.01
Difenoxuron	0.01	Metobromuron	0.01	Triapenthenol	0.01

ANALYSIS LIST PESTICIDES
Normec Groen Agro Control

Analysis list Crop, SPV A090, A104 & A178, herbicides additional

Version 9, valid since 03-06-2024

List of components and their reporting limit in mg/kg

Tribenuron-methyl	0.01	Trifluralin	0.01	Uniconazole	0.01
Triclopyr	0.005	Triflurosulfuron-methyl	0.01	Vernolate	0.01
Trietazine	0.01	Trinexapac-ethyl	0.01		

ANALYSIS LIST PESTICIDES
Normec Groen Agro Control

Analysis list crop, specific analysis

Version 9, valid since 03-06-2024

List of components and their reporting limit in mg/kg

Component	Q	Analysis method	Reporting limit
Amitrole		LC-MS/MS, A135	0.05
6-Benzyladenine		LC-MS/MS, A138	0.01
Chloormequat, Mepiquat		LC-MS/MS, A100	0.01
Diquat, Paraquat		LC-MS/MS, A133	0.01
Dithiocarbamates Sum of: Ferbam, Mancozeb, Maneb, Metiram, Nabam, Propineb, Thiram, Zineb, Ziram		GC-MS, as CS2, A066	0.05 CS2
Ethephon		GC-FID, as ethylene, A080	0.05
Ethephon		LC-MS/MS, A131	0.05
Fosethyl-aluminium Phosphonic acid		LC-MS/MS, A131	0.01 0.05
Glyfosate, AMPA, Glufosinate		LC-MS/MS, A131	0.01
Perchlorate, Chlorate		LC-MS/MS, A131	0.01
Prohexadione-calcium		LC-MS/MS	0.01
Quarternair ammonium compounds Didecyldimethylammonium chloride (DDAC; C10) Didecyldimethylammonium chloride (DDAC; C8, C12) Benzalkonium chloride (BAC; C10, C12, C14, C16, C18) Benzalkonium chloride (BAC; C8) Cetrimonium		LC-MS/MS, A103	0.01
Heavy Metals Aluminium Arsenic Barium Cadmium Chromium Cobalt Copper Mercury Lead Nickel Tin Silver Zinc		ICP-MS, A068 + A095	0.5 0.02 0.05 0.01 0.02 0.05 0.02 0.01 0.01 0.05 0.01 0.01 0.01